


## Eco 1700

Electric steam iron with thermostat, anodized sole plate and absorbent foam handle.

Comes with steam hose, 2.5 m cable and **4-pole plug**.




Model	Code	Heating W	Weight grams	Plate mm	Volt
ECO 1700	106-11-002	800	1.500	204 x 119	230

## Eco 1700 P

Electric steam iron with anodized sole plate and absorbent foam handle.

Comes with black heat guard cover, steam hose, 2.5m cable and **4-pole plug**.




Model	Code	Heating W	Weight grams	Plate mm	Volt
ECO 1700 P	106-24-002	800	1.400	204 x 119	230

## TFA 1700

Teflon shoe with aluminium frame. For Eco 1700 steam irons

Model	Code	Description
TFA 1700/1800L	107-00-031	For steam iron ECO 1700 & ECO 1700P



## GS

Iron Gantry for ECO 1700 steam irons.

Model	Code	Description
GS	107-02-000	For steam iron L 1700



## L 1700

Electric steam iron with thermostat, anodized sole plate and absorbent foam handle. Comes with an aluminium steam guard, steam hose, 2.5 m cable and a **4-pole plug**.



Model	Code	Heating W	Weight grams	Plate mm	Volt
L 1700	106-00-001	900	1.600	204 x 119	230

## L 2300

Electric steam iron with thermostat, anodized sole plate and absorbent foam handle. Comes with an aluminium steam guard, steam hose, 2.5 m cable and a **4-pole plug**.



Model	Code	Heating W	Weight grams	Plate mm	Volt
L 2300	106-01-001	900	1.750	234 x 120	230

## ST 1700

Electric steam iron with thermostat, bakelite handle and anodized sole plate.

Comes with an aluminium steam guard, steam hose, 2.5m cable and a **4-pole plug**.



Model	Code	Heating W	Weight grams	Plate mm	Volt
ST 1700	106-03-001	900	1.450	204 x 119	230

## TFA 1700 & TFA 2300

Teflon shoe with aluminium frame. For L1700, ST 1700 & L 2300 steam irons

Model	Code	Description
TFA 1700/1800L	107-00-031	For steam iron L 1700 & ST 1700
TFA 2300	107-00-003	For steam iron L 2300



## GS


Iron Gantry for L1700, L2300 and ST1700 steam irons.

Model	Code	Description
GS	107-02-000	For steam iron L 1700, L 2300 & ST 1700



## IT 1800 L

Electric steam iron with thermostat, ergonomic open handle with TPE covering, light touch steam button, specially designed anodized sole plate for dryer steam. Comes with aluminium steam guard, Teflon steam hose, 2.5 m cable and a **4-pole plug**.



Model	Code	Heating W	Weight grams	Plate mm	Volt
IT 1800 L	106-18-001	1250	1.600	204 x 119	230

## IT 1800 S

Electric steam iron with thermostat, ergonomic open handle with TPE covering, light touch steam button, specially designed anodized sole plate for dryer steam. Comes with aluminium steam guard, Teflon steam hose, 2.5 m cable and a **4-pole plug**.




Model	Code	Heating W	Weight grams	Plate mm	Volt
IT 1800 S	106-18-000	1250	1.600	210 x 105	230

## TFA 1700 & TFA 1700 S

Teflon shoe with aluminium frame. For 1800 L & 1800S type irons

Model	Code	Description
TFA 1700/1800L	107-00-002	For steam iron IT 1800 L
TFA 1800 S	107-00-018	For steam iron IT 1800 S



## GSV 1800 L & GSV 1800S


Unique Iron Gantry for IT 1800 L & IT 1800 that supports the Iron in both horizontal and vertical movements.

Model	Code	Description
GSV 1800 L	107-17-001	For steam iron IT 1800 L
GSV 1800 S	107-17-000	For steam iron IT 1800 S



## STC 1200

**Opening of seams** electric steam iron with thermostat and bakelite handle, aluminium sole plate, steam hose, 2.5 m cable and a **4-pole plug**.



Model	Code	Heating W	Weight grams	Plate mm	Volt
STC 1200	106-05-001	800	1.200	180 X 50	230

## TFA 1200

Teflon shoe with aluminium frame for the STC 1200.

Model	Code	Description
TFA 1200	107-00-006	For steam iron STC 1200



## GS

Iron Gantry for STC1200 steam iron.

Model	Code	Description
GS	107-02-000	For steam iron STC 1200



## STL 1400

**Inner lining dry ironing** (no steam) electric iron with thermostat, ergonomic open handle with TPE covering and steel sole plate with **new** special mixture coating for easy and quick gliding on the fabric.

Comes with 3m cable and a **4-pole plug**.



Model	Code	Heating W	Weight grams	Plate mm	Volt
STL 1400	106-22-001	1250	1.400	190 X 113	230